



UNIVERGE® Desktop Digital Terminals

Fulfilling the promise of UNIVERGE®360

At a Glance

- Scalability and customization through modularity
- Bluetooth interface for peripheral equipment (mobile phones, PDAs, headsets, conference units or keyboards)
- Programmable line keys for immediate line/feature access or speed dialing
- Full Duplex Speaker (DT330)

Maximizing Productivity

In today's intensely competitive business environment, smart companies know that it takes great customer service to get ahead. UNIVERGE Desktop Digital Terminals can help your business provide the exemplary level of customer service required.

UNIVERGE Desktop Digital Terminals offer features and benefits that brilliantly capture the essence of form and function while providing businesses the means to seamlessly communicate with their customers. As an integral part of UNIVERGE360, they connect people with the information, applications and tools that they need to drive business success. These intelligent terminals help your business take service and performance to newer, more profitable heights.

Desktop Digital terminals also deliver exceptional value. With their user-friendly ergonomic design, a range of eight models to choose from and a choice of interfaces and options, they provide users with access to the full power of UNIVERGE communication platforms.

Features		DT330	DT310
Display	Display Size:	168x58 dot matrix grayscale Optional LCD backlit w/ SV8100 only LCD Backlit Standard on DESI-less version	6D: 168x41 dot matrix Grayscale LCD, not backlit
	Characters × Lines:	Alphanumeric: 28x4 (6x12 font) DESI-less: 28x4 (6x12 font)	6D: 24x3
	Tilttable:	Yes	N/A
Keypad	Backlit Keypad:	Yes	N/A
	Line Keys:	12, 24, 32 DESI-less: 8 x 4 pages	2, 6
	Softkeys:	4, help, exit	4, help, exit
	Cursor Keys:	Yes	No
Built In Applications	Personal Directory:	Yes	Yes (speed dial)
	System Directory:	Yes	N/A
	Corporate Directory:	Yes	N/A
	Call History:	Yes	Yes (last number)
Sound	Full duplex hands-free:	Yes	No
Optional Adapters & Headsets	Bluetooth Handset w/ Hub Adapter:	Supported only on the SV8100	N/A
	Recording Adapter:	Yes	N/A
	Analog Port Adapter w/ Ringer:	Yes	N/A
	PSTN Survivable Adapter:	Yes	N/A
	Wired Headset:	Yes	N/A
Characteristics	Dimension (w"×d"×h"):	12D/24D: 7.05×10.16×4.41 32D (24D+8LK): 8.31×10.16×4.41 DESI-less: 7.05×10.71×4.41	2D: 7.05×8.86×4.41 6D: 7.05×8.86×4.41
	Weight (approx. lbs.):	12D/24D: 2.21 32D (24D+8LK): 2.65 DESI-less: 2.43	2D: 1.98 6D: 1.98
	AC Adapter (option):	27V 750mA	27V 750mA
Standards	Electrical:	R&TTE EN55024 EN55022 Class B	
	RoHS:	All models comply with RoHS	
	Safety:	EN60950/IEC60950	
	UL/CSA:	FCC Part 15 Class B FCC Part 68	
Environmentals	Operating Conditions:	Temperature range: 0 to 40 °C, humidity: 10 to 90% RH (not condensing)	
	Storage:	Ambient temperature range: -20 to 60 °C, ambient humidity: 10 to 90 %RH	

Note: Some features and functionality not immediately available.

UNIVERGE360 is NEC's approach to unifying business communications. It places people at the center of communications and delivers on an organization's needs by uniting infrastructure, communications and business.



Empowered by Innovation

NEC

For more information, visit www.necunified.com

Corporate Headquarters (Japan)
NEC Corporation
www.nec.com

Oceania (Australia)
NEC Australia Pty Ltd
www.nec.com.au

North America (USA)
NEC Unified Solutions, Inc
www.necunifiedsolutions.com

Asia
NEC Corporation
www.nec.com

Europe (EMEA)
NEC Philips Unified Solutions
www.nec-philips.com

About NEC Unified Solutions, Inc. NEC Unified Solutions helps companies unify their business through innovative software, applications, development tools, and services. NEC offers a complete portfolio for unified communications, wireless, voice, data and managed services, as well as systems integration and application development. NEC Unified Solutions, a wholly owned subsidiary of NEC Corporation of America, serves Fortune 1000, as well as small to mid-sized businesses across the globe in vertical markets such as hospitality, education, government and healthcare. For more information, visit www.necunified.com.

188569 | v.05.13.08

© 2008 NEC Corporation. All rights reserved. NEC, NEC logo, and UNIVERGE are trademarks or registered trademarks of NEC Corporation that may be registered in Japan and other jurisdictions. All trademarks identified with ® or ™ are registered trademarks or trademarks respectively. Models may vary for each country. Please refer to your local NEC representatives for further details.